

Table 11.12
Adjusted Patient Survival, Heart Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	4,042	92.6%	0.4%	4,042	87.7%	0.5%	12,038	73.9%	0.5%	22,849	54.8%	0.5%
Age at Tx												
<1 Year	169	85.0%	2.9%	169	78.4%	3.4%	458	70.3%	2.6%	839	65.8%	2.1%
1-5 Years	140	90.7%	2.5%	140	84.9%	3.1%	421	75.0%	2.6%	720	64.7%	2.7%
6-11 Years	98	99.0%	1.0%	98	95.9%	2.0%	320	80.6%	2.7%	572	61.6%	3.3%
12-17 Years	213	95.3%	1.5%	213	89.7%	2.1%	552	71.2%	2.6%	937	51.4%	2.6%
18-34 Years	432	93.5%	1.2%	432	86.1%	1.7%	1,171	70.0%	1.7%	1,983	54.1%	1.7%
35-49 Years	792	93.7%	0.9%	792	90.1%	1.1%	2,403	76.0%	1.1%	4,597	57.2%	1.1%
50-64 Years	1,807	92.4%	0.6%	1,807	87.7%	0.8%	5,638	75.4%	0.7%	11,248	54.7%	0.8%
65+ Years	435	90.2%	1.5%	435	85.8%	1.7%	1,200	66.8%	1.9%	2,156	44.4%	1.8%
Recipient Ethnicity/Race												
White	2,796	92.5%	0.5%	2,796	88.7%	0.6%	8,658	76.1%	0.6%	17,215	57.2%	0.6%
African American	736	92.6%	1.0%	736	84.2%	1.4%	1,962	65.3%	1.4%	3,365	43.9%	1.4%
Hispanic/Latino	348	92.7%	1.4%	348	87.8%	1.8%	1,002	71.3%	1.9%	1,600	58.8%	2.0%
Asian	127	91.4%	2.5%	127	85.9%	3.1%	327	75.5%	2.9%	532	62.8%	3.0%
Other/Multi-race	35	91.3%	4.7%	35	76.9%	7.1%	89	77.1%	4.7%	134	56.6%	7.7%
Unknown	0	-	-	0	-	-	0	-	-	3	34.7%	20.7%
Recipient Gender												
Female	1,070	91.5%	0.9%	1,070	86.5%	1.1%	3,215	71.8%	1.0%	5,945	53.2%	1.0%
Male	2,972	92.9%	0.5%	2,972	88.1%	0.6%	8,823	74.7%	0.6%	16,904	55.4%	0.6%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 11.12 (Continued)
Adjusted Patient Survival, Heart Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	4,042	92.6%	0.4%	4,042	87.7%	0.5%	12,038	73.9%	0.5%	22,849	54.8%	0.5%
Transplant Center State												
ALABAMA	50	86.0%	4.9%	50	77.9%	5.8%	128	70.2%	4.9%	312	55.1%	3.9%
ARKANSAS	52	92.7%	3.5%	52	87.3%	4.5%	140	66.8%	5.3%	224	51.8%	5.1%
ARIZONA	96	92.9%	2.6%	96	82.6%	3.8%	208	72.1%	4.2%	353	53.6%	4.4%
CALIFORNIA	488	96.1%	0.9%	488	89.9%	1.3%	1,481	77.0%	1.4%	2,711	59.2%	1.4%
COLORADO	55	91.1%	3.8%	55	89.3%	4.1%	191	72.8%	3.6%	378	62.3%	3.4%
CONNECTICUT	33	79.3%	6.9%	33	76.3%	7.2%	101	61.8%	5.4%	236	45.8%	4.0%
DELAWARE	2	53.7%	24.9%	2	53.7%	24.9%	2	52.9%	25.1%	2	50.6%	25.8%
FLORIDA	250	91.4%	1.8%	250	85.5%	2.2%	738	77.0%	2.0%	1,306	57.8%	2.1%
GEORGIA	82	94.2%	2.5%	82	85.9%	3.8%	229	64.9%	4.4%	470	57.0%	3.2%
HAWAII	2	+	+	2	+	+	8	+	+	19	42.9%	16.4%
IOWA	15	+	+	15	+	+	62	84.6%	5.8%	128	66.9%	5.6%
ILLINOIS	143	93.0%	2.1%	143	91.0%	2.4%	399	73.3%	2.8%	773	51.3%	2.9%
INDIANA	62	89.7%	3.9%	62	88.0%	4.2%	222	68.5%	3.8%	451	49.6%	3.3%
KANSAS	15	+	+	15	+	+	30	84.4%	7.2%	76	41.4%	8.3%
KENTUCKY	51	92.0%	3.8%	51	83.9%	5.1%	162	65.8%	4.6%	327	40.3%	4.1%
LOUISIANA	41	87.7%	5.1%	41	82.7%	5.9%	211	69.4%	3.6%	514	47.1%	3.1%
MASSACHUSETTS	104	97.0%	1.7%	104	93.0%	2.5%	318	85.0%	2.4%	625	63.8%	2.9%
MARYLAND	69	88.6%	3.8%	69	85.8%	4.1%	164	73.6%	4.1%	275	50.7%	4.7%
MICHIGAN	106	94.3%	2.2%	106	88.7%	3.1%	315	75.7%	2.9%	589	46.1%	3.9%
MINNESOTA	116	91.8%	2.6%	116	86.4%	3.3%	333	78.5%	2.8%	570	61.1%	3.3%
MISSOURI	159	94.2%	1.9%	159	92.3%	2.1%	381	74.2%	2.9%	766	54.9%	2.8%
MISSISSIPPI	13	76.8%	11.2%	13	76.8%	11.2%	49	69.7%	8.0%	110	54.5%	6.2%
NORTH CAROLINA	138	91.4%	2.4%	138	87.2%	2.8%	502	75.2%	2.2%	855	54.4%	2.8%
NEBRASKA	23	90.7%	6.0%	23	81.5%	8.1%	39	54.2%	11.3%	83	35.0%	7.4%
NEW JERSEY	88	95.6%	2.1%	88	92.3%	2.8%	240	74.5%	3.8%	358	55.9%	5.1%
NEW MEXICO	0	-	-	0	-	-	1	0.0%	0.0%	33	54.4%	9.8%
NEW YORK	295	88.8%	1.8%	295	85.9%	2.0%	897	70.8%	1.8%	1,462	57.2%	2.2%
OHIO	205	90.9%	2.0%	205	87.9%	2.3%	606	75.8%	2.2%	1,290	53.5%	2.2%
OKLAHOMA	39	97.4%	2.5%	39	87.0%	5.4%	134	65.9%	5.3%	294	48.3%	3.8%
OREGON	44	97.6%	2.3%	44	97.6%	2.3%	132	82.0%	3.9%	223	68.5%	4.3%
PENNSYLVANIA	345	90.6%	1.6%	345	87.7%	1.8%	975	73.7%	1.7%	2,035	52.3%	1.6%
PUERTO RICO	29	94.2%	4.0%	29	91.2%	4.8%	70	77.3%	7.6%	88	75.4%	6.5%
SOUTH CAROLINA	40	95.1%	3.4%	40	87.7%	5.1%	118	79.0%	4.5%	231	66.4%	4.0%

(Continued)

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 11.12 (Continued)
Adjusted Patient Survival, Heart Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2005 - 2006)			(Tx 2005 - 2006)			(Tx 2001 - 2006)			(Tx 1996 - 2006)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
TENNESSEE	84	95.3%	2.3%	84	91.8%	2.9%	317	73.8%	2.9%	617	53.6%	3.1%
TEXAS	337	94.3%	1.2%	337	87.0%	1.8%	1,014	69.2%	1.8%	1,876	52.6%	1.8%
UTAH	69	94.1%	2.9%	69	91.1%	3.4%	203	77.5%	4.0%	336	55.5%	4.8%
VIRGINIA	103	90.7%	2.8%	103	82.3%	3.7%	315	71.4%	3.0%	637	48.4%	3.0%
WASHINGTON	72	88.4%	3.8%	72	85.5%	4.2%	226	77.4%	3.8%	410	68.9%	3.5%
WISCONSIN	114	93.0%	2.4%	114	85.9%	3.2%	336	77.1%	2.9%	709	57.1%	2.7%
Primary Diagnosis												
Coronary Artery Disease	1,538	92.5%	0.7%	1,538	88.0%	0.9%	4,892	72.8%	0.9%	9,910	50.3%	0.9%
Cardiomyopathy	2,024	94.7%	0.5%	2,024	90.0%	0.7%	5,782	76.7%	0.7%	10,525	58.9%	0.7%
Congenital Heart Disease	355	78.9%	2.9%	355	71.9%	3.4%	1,025	63.0%	2.2%	1,775	52.5%	2.0%
Valvular Heart Disease	85	94.6%	2.3%	85	90.2%	3.1%	265	75.1%	3.1%	523	59.0%	3.1%
Other	39	89.0%	5.1%	39	83.5%	6.1%	72	75.6%	5.4%	112	59.6%	6.2%
Unknown	1	0.0%	0.0%	1	0.0%	0.0%	2	0.0%	0.0%	4	18.6%	14.2%

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.